

Message

From: [Nonresponsive based on revised scope]@erllc.com]
Sent: 3/20/2020 6:40:54 PM
To: Wagner, Christine [Wagner.Christine@epa.gov]
Subject: FW: [EXT]Shiloh Church Road TSCA Soil Approved C200051WDI
Attachments: ATT00001.txt; C200051WDI DRAFT Manifest updated.pdf

Chris,

Please review the attached manifest we will be using to ship the TSCA soil.
I'll wait to hear from you.

[Nonresponsive based on revised scope]

From: [Nonresponsive based on revised scope]@usecology.com>
Sent: Friday, March 20, 2020 2:38 PM
To: [Nonresponsive based on revised scope]@erllc.com>
Cc: [Nonresponsive based on revised scope]@usecology.com>
Subject: RE: [EXT]Shiloh Church Road TSCA Soil Approved C200051WDI

Good afternoon,

Please find an updated draft manifest attached above. C200051WDI has been price confirmed.

Thank you,

Nonresponsive based on revised scope

All pricing is contingent upon final approval of profiles and review of all associated information.

Nonresponsive based on revised scope

17440 College Parkway Suite 300 Livonia, MI 48152

Emergency Response: 800.839.3975
Customer Service: 800.592.5489

From: [Nonresponsive based on revised scope]@erllc.com]
Sent: Friday, March 20, 2020 1:41 PM
To: [Nonresponsive based on revised scope]@usecology.com>
Cc: [Nonresponsive based on revised scope]@usecology.com>
Subject: RE: [EXT]Shiloh Church Road TSCA Soil Approved C200051WDI

Please see attached documents.

Nonresponsive based on revised scope

From: Nonresponsive based on revised scope <[REDACTED]@usecology.com>
Sent: Friday, March 20, 2020 12:11 PM
To: Nonresponsive based on revised scope <[REDACTED]@erllc.com>
Cc: Nonresponsive based on revised scope <[REDACTED]@usecology.com>
Subject: [EXT]Shiloh Church Road TSCA Soil Approved C200051WDI

*****CAUTION***** This email originates from a source outside the company. Please use caution when opening attachments, clicking on links, or following the senders request.

Good afternoon [REDACTED]

The US EPA Region 3 Shiloh Church Rd- PCB Contaminated Soil profile has been approved as C200051WDI. Please sign and return the attached price confirmation and Michigan hazardous waste surcharge exemption form. We have a team member in the office working on printing a sample manifest copy for you now.

Thank you,

Nonresponsive based on revised scope

Customer Account Specialist

All pricing is contingent upon final approval of profiles and review of all associated information.

Nonresponsive based on revised scope

17440 College Parkway Suite 300 Livonia, MI 48162

Emergency Response: 800.639.3975

Customer Service: 800.592.5489

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.